

## | Boatside Products

### Weatherproof Covers

Heavy duty vinyl construction, use with female connector for superior seal

### Female Connectors

Ribbed nylon construction, color coded terminal pockets and screws

### Power Inlets

Styled to complement any boat, Marinco® power inlets are simple to install and feature a protective rear safety enclosure that provides safe, reliable strain relief

103RN



305CRCN



303SSEL-B



301EL-B



304EL-B



7715CRN



6360CRN



6371EL-B



6351EL-B



6343EL-B



7715CRN



6364CRN



6373EL-B



6353EL-B



6344EL-B



PH6624



TV6592



TV6574



TV6444



For more information visit us at: [marinco.com](http://marinco.com)



## Inlets

Marinco® Power Inlets are the industry standard. Offered in three styles, they all feature robust construction and corrosion-resistant materials for long life in the harsh marine environment. Each has technical features that make them easy to install and a pleasure to use for the marine professional or the casual recreational boater.

### Stainless Steel

Marinco® stainless steel inlets are solid cast marine grade 316 stainless steel and include a heavy duty cap strap for strength and durability.



### Contoured


Marinco® contoured inlets feature UV stabilized glass-filled polyester construction for long-lasting strength.



### Standard

Marinco® standard inlets feature UV stabilized glass-filled polyester construction for long-lasting strength.





**1** Easy Lock™—Marinco’s exclusive Easy Lock™ System has been designed to make hook-up quick and easy. Just connect the cordset (with an Easy Lock™ locking ring installed) to the inlet and turn the locking ring less than a quarter turn. The tabs on the locking ring lock into the inlet for a positive watertight hook-up while eliminating any chance of cross threading. The locking ring features lock locators positioned at 180° to improve finger grip during attachment.

Easy Lock™ inlets have a threaded boss that will accept threaded cordsets as well. The Easy Lock™ system is a standard feature on some Marinco® 30 amp and 50 amp inlets and cordsets.

- 2** The covers on all Marinco® inlets are designed to stay hinged open when the cover is lifted up. This allows the boater to connect their shore power cord while the cover remains open and out of the way. A soft touch unlocks it for closing.
- 3** Blades are nickel plated brass for maximum corrosion resistance.
- 4** Interior hardware is marine-grade stainless steel.

**Rear Enclosure**

- Made of flame-resistant UL94V0 plastic.
- All rear enclosures are glass-filled polyester for strength.
- Integral strain relief complies with ABYC requirements.
- Multiple positions allow for maximum installation flexibility.





**30 AMP 125V**

**Stainless Steel Power Inlet**

- Cast 316 stainless steel

**Item # 303SSEL-B**  
OEM # 303SSEL-B.OEM



**30 AMP 125V**

**Countour Chrome Power Inlet**

- Chrome finish cover

**Item # 304EL-BCR**  
OEM # 304EL-BCR.OEM



**30 AMP 125V**

**Contour Power Inlet**

- Stainless steel trim

**Item # 304EL-B**  
OEM # 304EL-B.OEM  
**Item # 304ELCB** cap & bezel



**30 AMP 125V**

**Contour Power Inlet**

- Without stainless steel trim

**Item # 304EL-B.NT** white  
**Item # 199136** black



**30 AMP 125V**

**Power Inlet**

- Stainless steel trim

**Item # 301EL-B** white  
OEM # 301EL-B.OEM white  
**Item # 301EL-B.GRAY** gray  
**Item # 301ELCB** cap & bezel



**30 AMP 125V**

**Power Inlet**

- ABYC shore power warning label on cap

**Item # 301EL-B.W/L**



**30 AMP 125V**

**Power Inlet**

- Stainless steel trim
- Hole at rear enclosure

**Item # 301EL-B.FR**



**30 AMP 125V**

**Breaker Inlet**

- Includes cap & bezel and breaker plate
- Breaker not included

**Item # 3050BI**



**30 AMP 125V**

**Stainless Steel Power Outlet**

- Female 30A 125V configuration

**Item # 303SSO**

# Connect: 50 Amp 125V/250V Inlets



**50 AMP**  
125/250V

## Stainless Steel Power Inlet

Item # 6373EL-B  
OEM # 6373EL-B.OEM



**50 AMP**  
125/250V

## Stainless Steel Power Inlet

- Without rear safety enclosure

Item # 6373EL  
OEM # 6373EL.OEM



**50 AMP**  
125/250V

## Countour Chrome Power Inlet

- Chrome finish cover

Item # 6344EL-BCR  
OEM # 6344EL-BCR.OEM



**50 AMP**  
125/250V

## Contour Power Inlet

- Stainless steel trim

Item # 6344EL-B  
OEM # 6344EL-B.OEM



**50 AMP**  
125/250V

## Contour Power Inlet

- Without stainless steel trim

Item # 6344EL-B.NT



**50 AMP**  
125/250V

## Power Inlet

- Stainless steel trim

Item # 6353EL-B  
OEM # 6353EL-B.OEM  
Item # 6353ELCB Cap & Bezel



**50 AMP**  
125/250V

## Power Inlet

- Stainless steel trim
- Black

OEM # 6353EL-B.BLACK.OEM



**50 AMP**  
125/250V

## Power Inlet

- Stainless steel trim
- Gray

Item # 6353EL-B.GRAY



**50 AMP**  
125/250V

## Power Inlet

- Stainless steel trim
- Without rear safety enclosure

Item # 6353EL

There are two categories of 50A devices: 50A 125V (50A 3-wire) and 50A 125/250V (50A 4-wire). The 4-wire devices have two "hot" legs, each carrying 50A 125V. These two categories are not interchangeable. A 3-wire plug must never be altered to insert into a 4-wire connector or receptacle.

**16 Amp/230V, 50Hz Locking**



**Stainless Steel Inlet**

- 316 stainless steel
- Easy Lock™ system
- Soft touch cap design
- Rear safety enclosure with strain relief

**Item # 303SSEL-BXPK**  
OEM # 303SSEL-BX



**Standard Inlet**

- Easy Lock™ system
- Glass-filled polyester
- Watertight
- Rear safety enclosure with strain relief

**Item # 301EL-BXPK**  
OEM # 301EL-BX



**Contour Inlet**

- Easy Lock™ system
- Glass-filled polyester
- Watertight
- Rear safety enclosure with strain relief

OEM # 304EL-BX.NT  
OEM # 301EL-BX stainless steel trim



**Female Connector**

- Corrosion resistant contacts and terminals
- Use with cover 103RN and cap 199109

**Item # 305CRCXNPK**  
OEM # 305CRCXN



**Weatherproof Cover w/ Threaded Ring**

- Use with 305CRCXN

**Item # 103RNXPK**  
OEM # 103RNX



**Connector Kit**

- Includes female connector, weatherproof cover with threaded ring and watertight cap

**Item # 199114**



**Locking Shore Power Cordset**

- H07BQ-F 3G 2,50 mm<sup>2</sup> harmonized cable
- IEC 60309 plug 2P+E [6H], 250V/50Hz
- Watertight connector sealing cap for CE compliance
- NEMA L5-30 moulded connector with LED power indicator light

**Item # 25MSPPXP** 25 meters  
**Item # 20MSPPXP** 20 meters  
**Item # 15MSPPXP** 15 meters  
**Item # 10MSPPXP** 10 meters  
**Item # 1MSPPXP** 1 meters



**Locking Shore Power Cordset**

- Blunt cut
- H07BQ-F 3G 2,50 mm<sup>2</sup> harmonized cable
- IEC 60309 plug 2P+E [6H], 250V/50Hz
- Watertight connector sealing cap for CE compliance
- NEMA L5-30 moulded connector with LED power indicator light

**Item # 25MSPPX** 25 meters  
**Item # 20MSPPX** 20 meters  
**Item # 15MSPPX** 15 meters  
**Item # 10MSPPX** 10 meters  
**Item # 1MSPPX** 1 meters



**Locking Shore Power Cordset**

- Male end blunt cut
- 12/3 (3.3 mm<sup>2</sup>) cable 16A/220V 50Hz
- Watertight connector sealing cap for CE compliance
- NEMA L5-30 moulded connector with LED power indicator light

**Item # 50SPPX** 50 ft  
**Item # 25SPPX** 25 ft